

What is naphthalene?

Naphthalene is made from crude oil or coal tar. It is also produced when things burn, so naphthalene is found in cigarette smoke, car exhaust, and smoke from forest fires. It is used as an insecticide and pest repellent. Naphthalene was first registered as a pesticide in the United States in 1948.

What are some products that contain naphthalene?

Mothballs and other products containing naphthalene are solids that turn into toxic gas. The toxic gas kills insects and may repel animals. There are over a dozen products containing naphthalene registered for use by the U.S. Environmental Protection Agency.

Always follow label instructions and take steps to avoid exposure. If any exposures occur, be sure to follow the First Aid instructions on the product label carefully. For additional treatment advice, contact the Poison Control Center at 1-800-222-1222. If you wish to discuss a pesticide problem, please call 1-800-858-7378.



How does naphthalene work?

When naphthalene gas is inhaled, the body breaks it down into other chemicals that react with cells in the body and damage tissues. How naphthalene kills moths is not understood. The odor is thought to be unpleasant enough to drive animals away in repellent products.



How might I be exposed to naphthalene?

You can be exposed to a pesticide if you breathe it in, get it on your skin, or if you accidentally eat or drink something containing a pesticide. This can happen if you get some on your hands and don't wash them before eating or smoking. People are most likely to be exposed to naphthalene by breathing in the vapors. When you smell [mothballs](#), you are inhaling the pesticide. Small children and pets are at risk of eating mothballs, because they look like candy or other treats.

NPIC General Fact Sheets are designed to provide scientific information to the general public. This document is intended to promote informed decision-making. Please refer to the Technical Fact Sheet for more information.

What are some signs and symptoms from a brief exposure to naphthalene?

People have developed headaches, nausea, dizziness, and/or vomiting after being exposed to naphthalene vapors. If someone breathes in enough of the vapor or eats a mothball containing naphthalene, they might develop hemolytic anemia. This is when red blood cells break apart, and no longer carry oxygen the way they should. Small children have also developed diarrhea, fever, abdominal pain, and painful urination with discolored urine after eating naphthalene mothballs. Dogs that have eaten naphthalene mothballs may have lethargy, vomiting, diarrhea, lack of appetite and tremors.

Clothing that was stored in mothballs without being washed afterwards has caused anemia in infants who wore the clothing, diapers or blankets. People with an inherited enzyme deficiency are at much greater risk of anemia than people with normal enzyme levels.



What happens to naphthalene when it enters the body?

In humans, naphthalene is broken down to alpha-naphthol, which is linked to the development of hemolytic anemia. Kidney and liver damage may also occur. Alpha-naphthol and other metabolites are excreted in urine.

In animals, naphthalene breaks down into other compounds including alpha-naphthol, which may affect the lungs and eyes. Naphthalene was found in the milk of exposed cows, but the residues disappeared quickly after the cows were no longer exposed. Nearly all the naphthalene was broken down into other compounds and excreted in their urine.

Is naphthalene likely to contribute to the development of cancer?

Animal studies have suggested that naphthalene can cause cancer. The International Agency for Research on Cancer (IARC) of the World Health Organization concluded that naphthalene is possibly carcinogenic to humans. The U.S. EPA classified naphthalene as a possible human carcinogen, also based on animal studies.

Has anyone studied non-cancer effects from long-term exposure to naphthalene?

Rats fed naphthalene while pregnant did not gain weight as quickly. In humans, women who ate naphthalene mothballs or inhaled the vapors while pregnant gave birth to babies with hemolytic anemia. No information was found on naphthalene and asthma or other chronic diseases.

Are children more sensitive to naphthalene than adults?

While [children may be especially sensitive to pesticides](#) compared to adults, there are currently no data to suggest that children have increased sensitivity specifically to naphthalene. However, small children are at greatest danger from eating stray mothballs, because they may look like candy.



What happens to naphthalene in the environment?

Most naphthalene in the environment will turn into a gas. Some of it may be bound to soil, where it can be taken up by plants. It can also be deposited on plant leaves from the air. Naphthalene is broken down by bacteria, fungi, air, and sunlight. Naphthalene has been found in wastewater treatment plant discharge. No information was found on naphthalene and groundwater. The half-life of naphthalene in the environment may range from less than one day in air to over 80 days in soil.

Mothballs are not snake repellents!



Can naphthalene affect birds, fish, or other wildlife?

Naphthalene was considered moderately toxic to several species of fish, water fleas, and Pacific oysters. It was considered slightly toxic to green algae. Naphthalene was considered practically non-toxic after being fed to bobwhite quail.

Where can I get more information?

For more detailed information call the National Pesticide Information Center, Monday - Friday, between 8:00 AM and 12:00 PM Pacific Time (11:00 AM to 3:00 PM Eastern Time) at 1-800-858-7378 or visit us on the web at <http://npic.orst.edu>. NPIC provides objective, science-based answers to questions about pesticides.

Date Reviewed: December 2010

NPIC is a cooperative agreement between Oregon State University and the U.S. Environmental Protection Agency (U.S. EPA, cooperative agreement # X8-83458501). The information in this publication does not in any way replace or supersede the restrictions, precautions, directions, or other information on the pesticide label or any other regulatory requirements, nor does it necessarily reflect the position of the U.S. EPA.